

PO No	Supplier	Line Item No	Rel No	Terms	Purchased Item	Description	For Part No	Project	Equipment ID	Order Qty	Due Date	Received Quantity	Accounting Job No	Serial No	Status	Receive Date	Price/Unit	Aging Days	Past Due	Total	Supplier Name
PO038659	SAB002-VC	1	1	Net 30	MDELNRB1.000X04.000	Delrin Bar : MATERIAL: DELIN II 150E OR ACETRON GP ACETAL receive ft				20	1/17/2018	20		S030560	Stock	1/9/2018	\$ 27.10 / ft	0		\$542.00	Polymershapes Distribution Canada Inc.
		2			MDELNR1.000	Delrin Round Bar 1" Color: Black : MATERIAL: DELIN II 150E OR ACETRON GP ACETAL receive ft				32		32		S030561	Stock	1/9/2018	\$ 4.50 / ft	0		\$144.00	Polymershapes Distribution Canada Inc.
		3			MDELNR1.2500	Delrin Round Bar 1.25" Color: Black : MATERIAL: DELIN II 150E OR ACETRON GP ACETAL receive ft				16		16		S030562	Stock	1/9/2018	\$ 7.15 / ft	0		\$114.40	Polymershapes Distribution Canada Inc.
		4			MDELNR0.750	Delrin Round Bar 0.75" Color: Black : MATERIAL: DELIN II 150E OR ACETRON GP ACETAL receive ft				32		32		S030563	Stock	1/9/2018	\$ 2.40 / pcs	0		\$76.80	Polymershapes Distribution Canada Inc.
Total:										100		100								\$705.96	

BORDEREAU D'EXPÉDITION

POLYMERSHAPES DISTRIBUTION CANADA INC.

Expéditeur à:  
DART AEROSPACE LTD  
1270 ABERDEEN STREET  
HAWKESBURY, ON, K6A 1K7  
CANADA

Facturer à:  
DART AEROSPACE LTD  
1270 ABERDEEN STREET  
HAWKESBURY, ON, K6A 1K7  
Canada

téléphone - 1 (613)  
6325200

ENTREPÔT: POLYMERSHAPES - MONTREAL QC  
Doival, QC, H9P 2W3, CA,,

DATE: 08-JAN-18  
COMMANDE: 93033930  
MODALITÉS DE PAIEMENT: CA NET 30  
F.A.B.  
BON DE COMMANDE: PO038659  
TÉL. DE LA PERSONNE-RESSOURCE: 0014005000120  
MODALITÉS DE TRANSPORT: Collect Freight  
REPRÉSENTANT: MONTREAL HOUSE  
NOM POUR LIVRAISON: 40090871

N° DE CONNAISSANCE  
JOURNEY TRSP  
TRANSPORTEUR DE MARCHANDISES: COMMENTAIRE SUR FRAIS DE TRANSPORT:  
CUSTOMER CHOICE - REVIEW NOTES

CATÉGORIE	NUMÉRO DE PIÈCE / DESCRIPTION DE L'ARTICLE	DATE D'EXPÉDITION	QTÉ		QTÉ		UDM
			COMMANDEE	EXPÉDIÉE	EXPÉDIÉE	EXPÉDIÉE	
1	55247104-C ACT SH 1.000 24.000000x48.000000 BK CP   ACETRON GP INSTRUCTIONS SPÉCIALES: CUT TO 5 PCS 4" X 48" (20 FT) C OF C Numéros de LOT: (1 Qté ) REQUIRED (REPLACEMENT ORDER) C OF C REQUIRED  CUT SIZE W/ID : 24.00 CUT SIZE L/OD : 48.00	08-JAN-2018	1	1	0	EA	
2	65200104 ACT RD 1.000 BK CP   ACETRON GP INSTRUCTIONS SPÉCIALES: C OF C Numéros de LOT: (32 Qté ) REQUIRED (REPLACEMENT ORDER) C OF C REQUIRED  CUT SIZE W/ID : 24.00 CUT SIZE L/OD : 48.00	08-JAN-2018	32	32	0	FT	

8818-d-9

## BORDEREAU D'EXPÉDITION

POLYMER SHAPES DISTRIBUTION CANADA INC.

Expéditeur à:

DART AEROSPACE LTD

1270 ABERDEEN STREET

HAWKESBURY, ON, K6A 1K7

CANADA

téléphone - 1 (613)

6325200

Facturer à:

DART AEROSPACE LTD

1270 ABERDEEN STREET

HAWKESBURY, ON, K6A 1K7

Canada

DATE:

08-JAN-18

COMMANDE:

93033930

MODALITÉS DE

PAIEMENT:

CA NET 30

F.A.B.

BON DE COMMANDE:

PO038659

MODALITÉS DE

TRANSPORT:

Collect Freight

REPRÉSENTANT:

MONTREAL HOUSE

TÉL. DE LA PERSONNE-RESSOURCE:

0014005000120

DATE DE LA

COMMANDE:

15-DEC-17

NOM POUR LIVRAISON:

40090871

ENTREPÔT: POLYMER SHAPES - MONTREAL QC  
Dorval, QC, H9P 2W3, CA,,

N° DE CONNAISSANCE TRANSPORTEUR DE MARCHANDISES: COMMENTAIRE SUR FRAIS DE TRANSPORT:

JOURNEY TRSP

CUSTOMER CHOICE - REVIEW NOTES

CATÉGORIE NUMÉRO DE PIÈCE / DESCRIPTION DE L'ARTICLE

3 65244104

ACT RD 1.250 BK CP | ACETRON GP

INSTRUCTIONS SPÉCIALES: C OF C REQUIRED

Numéros de LOT:

(16 Qté )

DATE

D'EXPÉDITION

QTÉ

COMMANDÉE

QTÉ

EXPÉDIÉE

QTÉ NON

EXPÉDIÉE

UDM

FT

08-JAN-2018

16

16

0

FT

4 65152104

ACT RD 0.750 BK CP | ACETRON GP

INSTRUCTIONS SPÉCIALES: C OF C REQUIRED

Numéros de LOT:

(32 Qté )

08-JAN-2018

32

32

0

FT

8018-01-9.

**REÇU EN BON ÉTAT****Signé:****Date:**

À moins qu'il en soit convenu autrement dans un document signé par les deux parties, toute vente par Polymershapes est effectuée exclusivement aux termes des conditions de vente standard de Polymershapes, qui peuvent être obtenues sur demande et en ligne à l'adresse [www.polymershapes.com](http://www.polymershapes.com). BIEN QUE LES RENSEIGNEMENTS, LES RECOMMANDATIONS OU LES CONSEILS FIGURANT AUX PRÉSENTES SOIENT DONNÉS DE BONNE FOI, POLYMERSHAPES NE DONNE AUCUNE GARANTIE, EXPRESSE OU IMPLICITE, QUANT AUX RÉSULTATS, À L'EFFICACITÉ OU À LA SÉCURITÉ DE TOUTE CONCEPTION CONTENANT DES PRODUITS, MATÉRIAUX, SERVICES, RECOMMANDATIONS OU CONSEILS DE POLYMERSHAPES. SAUF TEL QU'IL EST INDIQUÉ DANS LES CONDITIONS DE VENTE STANDARD DE POLYMERSHAPES, POLYMERSHAPES ET SES REPRÉSENTANTS NE SONT EN AUCUN CAS RESPONSABLES DE TOUTE PERTE DÉCOULANT DE L'UTILISATION DE SES MATÉRIAUX, PRODUITS OU SERVICES DÉCRITS AUX PRÉSENTES

Chaque utilisateur assume l'entière responsabilité de ses décisions quant au caractère convenable des produits, des matériaux, des services, des recommandations ou des conseils pour sa propre utilisation. Chaque utilisateur doit identifier et effectuer tous les tests et analyses nécessaires pour s'assurer que ses pièces finies contenant des produits, matériaux ou services achetés de Polymershapes seront sûres et pourront être utilisées dans des conditions d'utilisation finales. Aucune disposition du présent document ou de tout autre document, ni aucune recommandation ou aucun conseil verbal, ne sera réputé modifier, faire varier, remplacer ou annuler toute disposition des conditions de vente de Polymershapes ou de la présente exclusion de responsabilité, à moins que cette modification ne soit précisément acceptée dans un écrit signé par Polymershapes. Aucun énoncé figurant aux présentes relativement à l'utilisation éventuelle ou suggérée de tout matériau, produit, service ou conception n'a pour but d'accorder, ni ne doit être interprété comme accordant, une licence sur les droits de brevet ou d'autres droits de propriété intellectuelle de Polymershapes ou de l'une de ses filiales ou d'un membre de son groupe couvrant cette utilisation ou cette conception, et ne doit pas être interprété comme une recommandation relative à l'utilisation de ce matériau, produit, service ou concept en violation d'un droit de brevet ou d'un autre droit de propriété intellectuelle.

\*\*\*Rapport de fin de\*\*\*



Dart Aerospace Ltd.  
1270 Aberdeen St  
Hawkesbury, ON  
K6A 1K7  
Canada

Tel (613) 632-5200

# PURCHASE ORDER PO038659

**Supplier:** SAB002-VC  
Polymershapes Distribution Canada Inc.  
1665 55th Avenue  
Dorval  
QC  
H9P 2W3 Canada  
Phone: 514 422 1048  
Fax: 514 422 1055

**PO No:** PO038659  
**PO Date:** 12/15/17  
**Due Date:** 12/21/17

**Purchase Order  
Revision:**

**Revision Date:**

**Ship-To Contact:** Lavoie, Chantal  
clavoie@dartaero.com

**E-MAILED**

**DEC 18 2017**

**Ship To:** 1270 Aberdeen Street  
Hawkesbury  
ON  
K6A 1K7 Canada  
Phone: 613-632-5200

**Via:** Ground  
**Pymt Terms:** Net 30

**Freight Terms:**

**Special Comments:**

## Items

Line Item	Part	Supplier Part No	Description	Status	Due Date	Order Quantity	Received Quantity	Balance	Unit Price (CAD)	Extended Price
1	MDELINB1.000X04.000		Delrin Bar : MATERIAL: DELIN II 150E OR ACETRON GP ACETAL receive ft	Firmed	1/17/18	20 ft	0 ft 20 ft	20 ft	\$27.10/ft	\$542.00
Line Item Note		COLOR BLACK								
2	MDELINR1.000		Delrin Round Bar 1" Color: Black : MATERIAL: DELIN II 150E OR ACETRON GP ACETAL receive ft	Firmed	1/17/18	32 ft	0 ft 32 ft	32 ft	\$4.50/ft	\$144.00
Line Item Note		color black								
3	MDELINR1.2500		Delrin Round Bar 1.25" Color: Black : MATERIAL: DELIN II 150E OR ACETRON GP ACETAL receive ft	Firmed	1/17/18	16 ft	0 ft 16 ft	16 ft	\$7.15/ft	\$114.40
Line Item Note		color black								

## PURCHASE ORDER

Items										
Line Item	Part	Supplier Part No	Description	Status	Due Date	Order Quantity	Received Quantity	Balance	Unit Price (CAD)	Extended Price
4	MDELNR0.750		Delrin Round Bar 0.75" Color: Black : MATERIAL: DELIN II 150E OR ACETRON GP ACETAL receive ft	Firmed	1/17/18	32 pcs	0 pcs	32 pcs	\$2.40/pcs	\$76.80
									SP 18-01-9	
<b>Grand Total:</b>										<b>\$877.20</b>
<b>Order Notes</b>										
<p>Procurement Quality Clauses</p> <p>A005 right of entry</p> <p>A012 chemical and physical test report</p> <p>A016 personnel qualification</p> <p>A017 raw material identification (as applicable)</p> <p>A026 certification of material conformance</p> <p>A041 quality management system</p> <p>A042 dart notification by supplier</p> <p>A043 retention of quality documents</p> <p>A048 counterfeit parts avoidance, detection, mitigation and disposition program</p> <p>A049 supplier awareness</p> <p>Terms &amp; Condition of Purchasing(Suppliers) and Procurement Quality Clauses are an integral part of our AS9100 requirements. To learn in detail, please visit <a href="http://www.dartaerospace.com">www.dartaerospace.com</a> for further explanation.</p>										

Plex 12/18/17 9:18 AM dart.lavoie.chantal



## Sales Order Acknowledgement

**POLYMERSHAPES  
DISTRIBUTION CANADA INC.**  
1665 - 55TH AVENUE  
Dorval, QC, H9P 2W3  
CA  
QST 12241 10096 TQ0001

**Sales Order Number:** 93033930  
**GST Registration #** GST 75746 6099 RT0001

**BILL TO:**  
DART AEROSPACE LTD  
1270 ABERDEEN STREET  
HAWKESBURY, ON, K6A 1K7, CA

**SHIP TO:**  
DART AEROSPACE LTD  
1270 ABERDEEN STREET  
HAWKESBURY, ON, K6A 1K7, CA

**TAX LIC 1:** CHARGE HST  
**TAX LIC 2:**

**Purchase Order Number:** PO038659

Page 1 of 2

Page 1 of 2

Freight Terms		Payment Terms	F.O.B.	Carrier		Order Date
Collect Freight		CA NET 30		CUSTOMER CHOICE - REVIEW NOTES		15-DEC-17
Line	Part Number/Description	Quantity	UOM	Unit Price	Extended Price	
2	55247104-C ACT SH 1.000 24.000000x48.000000 BK CP   ACETRON GP CUT TO 5 PCS 4" X 48" (20 FT) C OF C REQUIRED (REPLACEMENT ORDER) C OF C REQUIRED Estimated Ship Date:15-JAN-18	1	EA	542.00	542.00	
3	65200104 ACT RD 1.000 BK CP  ACETRON GP C OF C REQUIRED Estimated Ship Date:15-JAN-18	32	FT	4.50	144.00	
4	65244104 ACT RD 1.250 BK CP  ACETRON GP C OF C REQUIRED Estimated Ship Date:15-JAN-18	16	FT	7.15	114.40	
5	65152104 ACT RD 0.750 BK CP  ACETRON GP C OF C REQUIRED Estimated Ship Date:15-JAN-18	32	FT	2.40	76.80	
				ONTARIO HST		114.03
				Total (CAD):		991.23
Customer Contact:		Polymershapes Contact:				
Name:		Name: Kuchyna, Olga				
Title:		Title: Inside Sales Representative				
Phone:		Phone: 5144221048				
Fax:		Fax: 5144221055				
Email:		Email: okuchyna@polymershapes.com				
Please visit us at: <a href="http://www.polymershapes.com">www.polymershapes.com</a>			Thank you for selecting Polymershapes Distribution Canada Inc			

Unless otherwise agreed to in a document signed by both parties, any sale by Polymershapes Distribution Canada Inc. ("Polymershapes") is made exclusively under Polymershapes' Standard Terms and Conditions of Sale, which are available on request and online at <http://www.polymershapes.com>. **ALTHOUGH ANY INFORMATION, RECOMMENDATIONS, OR ADVICE CONTAINED HEREIN IS GIVEN IN GOOD FAITH, POLYMERSHAPES MAKES NO WARRANTY OR GUARANTEE, EXPRESS OR IMPLIED, AS TO THE RESULTS, EFFECTIVENESS OR SAFETY OF ANY DESIGN INCORPORATING POLYMERSHAPES PRODUCTS, MATERIALS, SERVICES, RECOMMENDATIONS OR ADVICE. EXCEPT AS PROVIDED IN POLYMERSHAPES' STANDARD CONDITIONS OF SALE, POLYMERSHAPES AND ITS REPRESENTATIVES SHALL IN NO EVENT BE RESPONSIBLE FOR ANY LOSS RESULTING FROM ANY USE OF ITS MATERIALS, PRODUCTS OR SERVICES DESCRIBED HEREIN.** Each user bears full responsibility for making its own determination as to the suitability of products, materials, services, recommendations, or advice for its own particular use. Each user must identify and perform all tests and analyses necessary to assure that its finished parts incorporating products, materials, or services purchased from Polymershapes will be safe and suitable for use under end-use conditions. Nothing in this or any other document, nor any oral recommendation or advice, shall be deemed to alter, vary, supersede, or waive any provision of Polymershapes Conditions of Sale or this disclaimer, unless any such modification is specifically agreed to in a writing signed by Polymershapes. No statement contained herein concerning a possible or suggested use of any material, product, service or design is intended, or should be construed, to grant any license under any patent or other intellectual property right of Polymershapes or any of its subsidiaries or affiliates covering such use or design, or as a recommendation for the use of such material



**Certificate of Conformance**1665 55<sup>th</sup> Avenue  
Dorval, Quebec,  
H9P 2W3**Date:** January 5/2018**Attn:** RECEIVING DEPARTMENT**To:** DART AEROSPACE LTD.**Address:** 1270 ABERDEEN STREET  
HAWKESBURY, ON.**Customer P.O. Number:** PO38659**Sales Order No:** 93027306**Manufacturer's Reference:** 0002153415**Our Reference:** MTL-106599

It is hereby certified that, to the best of Polymershapes Distribution Canada knowledge, the product information provided below conforms to the corresponding information in the possession of Polymershapes Distribution Canada with respect to such products. This certification and the sale of products are, unless otherwise agreed to in writing, subject to Polymershapes Distribution Canada standard conditions of sale. This document shall not be reproduced, except in full, without prior written approval.

Quantity	Description	Lot Number/Spec.
1 SHT	ACETRON GP BLACK SHEET 1" X 24" X 48"	0006676335 ASTM D6778 POM0211
32 FT	ACETRON GP BLACK ROD 1" DIA X 96"	0006562809 ASTM D6778 POM0211
16 FT	ACETRON GP BLACK ROD 1.250 DIA. X 96"	0006523294 ASTM D6778 POM0211
32 FT.	ACETRON GP BLACK ROD .750 DIA. X 96"	0006486587 ASTM D6778 POM0211

**Polymershapes Canada Distribution Inc.****By:****Title:****Quality Coordinator**



**QUADRANT**  
ENGINEERING PLASTIC PRODUCTS

Quadrant EPP USA, Inc.  
2120 Fairmont Avenue, P.O. Box 14235  
Reading, PA 19612-4235  
Phone 610-320-6600

**Ship to:**

Polymershapes - Dorval  
1665 - 55th Avenue

Dorval, QUE H9P 2W3  
Canada

Consignee: 0002000430

**Sold to:**

Polymershapes - Dorval  
1665, 55 Avenue

Dorval, QUE H9P 2W3  
Canada

Delivery address: 1A  
Delivery No: 9419514

**Declaration of compliance with the order according EN 10204 - 2.1**

**ACETRON GP PLATE Black**

**1 x 24 x 48 IN**

**STD TOLERANCE**

Item No: 02100110123

Lot: 0006676335

Ship date: 12/22/17

Date of MFG: 10/15/17

Qty: 1.00 PC

Supplied against purchase order number: MTL-106599

Quadrant Order No: 0002153415

Product is known as POLYOXYMETHYLENE COPOLYMER (POM C) Acetal.


Made with resin that meets ASTM D6778 POM 0211 or 0210.  
(ASTM D6778 replaced ASTM D4181 which superseded LP392)

Typical product is capable of meeting the requirements of ASTM D6100 S-POM 0211 LP.

Regulatory compliance statement for FDA, NSF, 3A dairy (3A SSI) and EU directives  
is available upon request.

We hereby certify that the goods described above comply with the terms of the order contract and conform to our Product Specifications. The Quality Management System of the Quadrant EPP plants in Reading, PA, Scranton, PA, Wytheville, VA, Delmont, PA and Ft. Wayne, IN are certified according to ISO 9001. The ISO Certificate is available upon request.

CERTIFIED BY: Eric Weir  
FUNCTION: Product Specification & Certification Engineer  
E-MAIL: eric.weir@qplas.com  
DATE: 12/22/17  
DIGITAL SIGNATURE 



**QUADRANT**  
ENGINEERING PLASTIC PRODUCTS

Quadrant EPP USA, Inc.  
2120 Fairmont Avenue, P.O. Box 14235  
Reading, PA 19612-4235  
Phone 610-320-6600

**Ship to:**

Polymershapes - Dorval  
1665 - 55th Avenue

Dorval, QUE H9P 2W3  
Canada

Consignee: 0002000430

**Sold to:**

Polymershapes - Dorval  
1665, 55 Avenue

Dorval, QUE H9P 2W3  
Canada

Delivery address: 1A  
Delivery No: 9419514

**Declaration of compliance with the order according EN 10204 - 2.1**

**ACETRON GP ROD Black**

**1 x 96 IN**

Item No: 02100120031

Lot: 0006562809

Ship date: 12/22/17

Date of MFG: 11/12/17

Qty: 4.00 PC

Supplied against purchase order number: MTL-106599

Quadrant Order No: 0002153415

Product is known as POLYOXYMETHYLENE COPOLYMER (POM C) Acetal.


Made with resin that meets ASTM D6778 POM 0211 or 0210.  
(ASTM D6778 replaced ASTM D4181 which superseded LP392)

Typical product is capable of meeting the requirements of ASTM D6100 S-POM 0211 LP.

Regulatory compliance statement for FDA, NSF, 3A dairy (3A SSI) and EU directives  
is available upon request.

We hereby certify that the goods described above comply with the terms of the order contract and conform to our Product Specifications. The Quality Management System of the Quadrant EPP plants in Reading, PA, Scranton, PA, Wytheville, VA, Delmont, PA and Ft. Wayne, IN are certified according to ISO 9001. The ISO Certificate is available upon request.

CERTIFIED BY: Eric Weir  
FUNCTION: Product Specification & Certification Engineer  
E-MAIL: eric.weir@qplas.com  
DATE: 12/22/17  
DIGITAL SIGNATURE 



**QUADRANT**  
ENGINEERING PLASTIC PRODUCTS

Quadrant EPP USA, Inc.  
2120 Fairmont Avenue, P.O. Box 14235  
Reading, PA 19612-4235  
Phone 610-320-6600

**Ship to:**  
Polymershapes - Dorval  
1665 - 55th Avenue

Dorval, QUE H9P 2W3  
Canada

Consignee: 0002000430

**Sold to:**  
Polymershapes - Dorval  
1665, 55 Avenue

Dorval, QUE H9P 2W3  
Canada

Delivery address: 1A  
Delivery No: 9419514

**Declaration of compliance with the order according EN 10204 - 2.1**

**ACETRON GP ROD Black**

**1.25 x 96 IN**

Item No: 02100120036

Lot: 0006523294

Ship date: 12/22/17

Date of MFG: 10/16/17

Qty: 2.00 PC

Supplied against purchase order number: MTL-106599

Quadrant Order No: 0002153415

Product is known as POLYOXYMETHYLENE COPOLYMER (POM C) Acetal.


Made with resin that meets ASTM D6778 POM 0211 or 0210.  
(ASTM D6778 replaced ASTM D4181 which superseded LP392)

Typical product is capable of meeting the requirements of ASTM D6100 S-POM 0211 LP.

Regulatory compliance statement for FDA, NSF, 3A dairy (3A SSI) and EU directives  
is available upon request.

We hereby certify that the goods described above comply with the terms of the order contract and conform to our Product Specifications. The Quality Management System of the Quadrant EPP plants in Reading, PA, Scranton, PA, Wytheville, VA, Delmont, PA and Ft. Wayne, IN are certified according to ISO 9001. The ISO Certificate is available upon request.

CERTIFIED BY: Eric Weir  
FUNCTION: Product Specification & Certification Engineer  
E-MAIL: eric.weir@qplas.com  
DATE: 12/22/17  
DIGITAL SIGNATURE 



**QUADRANT**  
ENGINEERING PLASTIC PRODUCTS

Quadrant EPP USA, Inc.  
2120 Fairmont Avenue, P.O. Box 14235  
Reading, PA 19612-4235  
Phone 610-320-6600

**Ship to:**

Polymershapes - Dorval  
1665 - 55th Avenue

Dorval, QUE H9P 2W3  
Canada

Consignee: 0002000430

**Sold to:**

Polymershapes - Dorval  
1665, 55 Avenue

Dorval, QUE H9P 2W3  
Canada

Delivery address: 1A  
Delivery No: 9419514

**Declaration of compliance with the order according EN 10204 - 2.1**

**ACETRON GP ROD Black**

**.75 x 96 IN**

Item No: 02100420026

Lot: 0006486587

Ship date: 12/22/17

Date of MFG: 11/14/17

Qty: 4.00 PC

Supplied against purchase order number: MTL-106599

Quadrant Order No: 0002153415


Product is known as POLYOXYMETHYLENE COPOLYMER (POM C) Acetal.

Made with resin that meets ASTM D6778 POM 0211 or 0210.  
(ASTM D6778 replaced ASTM D4181 which superseded LP392)

Typical product is capable of meeting the requirements of ASTM D6100 S-POM 0211 LP.

Regulatory compliance statement for FDA, NSF, 3A dairy (3A SSI) and EU directives  
is available upon request.

We hereby certify that the goods described above comply with the terms of the order contract and conform to our Product Specifications. The Quality Management System of the Quadrant EPP plants in Reading, PA, Scranton, PA, Wytheville, VA, Delmont, PA and Ft. Wayne, IN are certified according to ISO 9001. The ISO Certificate is available upon request.

CERTIFIED BY: Eric Weir  
FUNCTION: Product Specification & Certification Engineer  
E-MAIL: eric.weir@qplas.com  
DATE: 12/22/17  
DIGITAL SIGNATURE 

# MATERIAL RECEIPT INSPECTION FORM

MATERIAL: Maetrix R1.000  
 DATE: JAN 09 2018

PO / BATCH NO.: 038658/5030561

MATERIAL CERT REC'D: yes  
 QUANTITY RECEIVED: 32'  
 QUANTITY INSPECTED: 32'  
 QUANTITY REJECTED: 0

THICKNESS ORDERED: 1.000  
 THICKNESS RECEIVED: 1.000  
 SHEET SIZE ORDERED: N/A  
 SHEET SIZE RECEIVED: N/A

DESCRIPTION	NCR (Check Y/N)	COMMENTS
SURFACE DAMAGE	Y <input checked="" type="checkbox"/> N	
CORRECT FINISH	<input checked="" type="checkbox"/> Y N	
CORROSION	Y <input checked="" type="checkbox"/> N	
CORRECT GRAIN DIRECTION	<input checked="" type="checkbox"/> Y N	
CORRECT MATERIAL PER M-DRAWING	<input checked="" type="checkbox"/> Y N	<u>Acetron GP Rod Black</u>
CORRECT THICKNESS	<input checked="" type="checkbox"/> Y N	
PHOTO REQUIRED	Y <input checked="" type="checkbox"/> N	
CORRECT REF # TO LINK CERT	<input checked="" type="checkbox"/> Y N	<u>0006562809</u>
CORRECT MATERIAL IDENTIFICATION	<input checked="" type="checkbox"/> Y N	
CORRECT M# ON THE MATERIAL	<input checked="" type="checkbox"/> Y N	
DOES THIS MATERIAL REQUIRE ENGINEERING SIGN OFF	Y <input checked="" type="checkbox"/> N	
DOES THIS REQUIRE AN EXTRUSION REPORT	Y <input checked="" type="checkbox"/> N	

CUT SAMPLE PIECE OF MATERIAL AND PREFORM A HARDNESS CHECK. RECORD RESULTS BELOW					
TYPE OF MATERIAL	HRC	HRB	DUR A	DUR D	WEBSTER
SIZE OF TEST SAMPLE					
HARDNESS / DUROMETER READING					

testers located in the Quality Office

QC 18 INSPECTION		ENGINEERING SIGNOFF (if required)
INSPECTED BY: <u>DAS 11</u> DATE: <u>9-89 JAN 09 2018</u>	SIGNED OFF BY: _____ DATE: _____	

Attach this inspection sheet with the corresponding material cert and remit to be scanned and received in

# MATERIAL RECEIPT INSPECTION FORM

MATERIAL: MDELrin B1.000x04.000

PO / BATCH NO.: 038659/5030560

DATE: JAN 09 2018

MATERIAL CERT REC'D: Yes  
 QUANTITY RECEIVED: 20"  
 QUANTITY INSPECTED: 20"  
 QUANTITY REJECTED: 0

THICKNESS ORDERED: 1.000  
 THICKNESS RECEIVED: 1.000  
 SHEET SIZE ORDERED: N/A  
 SHEET SIZE RECEIVED: N/A

DESCRIPTION	NCR (Check Y/N)		COMMENTS
SURFACE DAMAGE	Y	(N)	
CORRECT FINISH	(Y)	N	
CORROSION	Y	(N)	
CORRECT GRAIN DIRECTION	(Y)	N	
CORRECT MATERIAL PER M-DRAWING	(Y)	N	<u>Aetron GP Plate Black</u>
CORRECT THICKNESS	(Y)	N	
PHOTO REQUIRED	Y	(N)	
CORRECT REF # TO LINK CERT	(Y)	N	<u>0006676335</u>
CORRECT MATERIAL IDENTIFICATION	(Y)	N	
CORRECT M# ON THE MATERIAL	(Y)	N	
DOES THIS MATERIAL REQUIRE ENGINEERING SIGN OFF	Y	(N)	
DOES THIS REQUIRE AN EXTRUSION REPORT	Y	(N)	

CUT SAMPLE PIECE OF MATERIAL AND PREFORM A HARDNESS CHECK. RECORD RESULTS BELOW					
	HRC	HRB	DUR A	DUR D	WEBSTER
TYPE OF MATERIAL					
SIZE OF TEST SAMPLE					
HARDNESS / DUROMETER READING					

testers located in the Quality Office

QC 18 INSPECTION		ENGINEERING SIGNOFF (if required)
INSPECTED BY: <u>DAS 11</u> DATE: <u>9-89 JAN 09 2018</u>	SIGNED OFF BY: _____ DATE: _____	

Attach this inspection sheet with the corresponding material cert and remit to be scanned and received in

# MATERIAL RECEIPT INSPECTION FORM

MATERIAL: MDelrin 0.750

PO / BATCH NO.: 038659/5030563

DATE: JAN 09 2018

MATERIAL CERT REC'D: yes

THICKNESS ORDERED: 0.750

QUANTITY RECEIVED: 32'

THICKNESS RECEIVED: 0.750

QUANTITY INSPECTED: 32'

SHEET SIZE ORDERED: N/A

QUANTITY REJECTED: 0

SHEET SIZE RECEIVED: N/A

DESCRIPTION	NCR (Check Y/N)	COMMENTS
SURFACE DAMAGE	Y (N)	
CORRECT FINISH	(Y) N	
CORROSION	Y (N)	
CORRECT GRAIN DIRECTION	(Y) N	
CORRECT MATERIAL PER M-DRAWING	(Y) N	Acetron GP Black Rod
CORRECT THICKNESS	(Y) N	
PHOTO REQUIRED	Y (N)	
CORRECT REF # TO LINK CERT	(Y) N	0006486587
CORRECT MATERIAL IDENTIFICATION	(Y) N	
CORRECT M# ON THE MATERIAL	(Y) N	
DOES THIS MATERIAL REQUIRE ENGINEERING SIGN OFF	Y (N)	
DOES THIS REQUIRE AN EXTRUSION REPORT	Y (N)	

CUT SAMPLE PIECE OF MATERIAL AND PREFORM A HARDNESS CHECK. RECORD RESULTS BELOW					
	HRC	HRB	DUR A	DUR D	WEBSTER
TYPE OF MATERIAL					
SIZE OF TEST SAMPLE					
HARDNESS / DUROMETER READING					

testers located in the Quality Office

QC 18 INSPECTION	ENGINEERING SIGNOFF (if required)
<p>INSPECTED BY: <u>11</u></p> <p>DATE: <u>JAN 09 2018</u></p>	<p>SIGNED OFF BY: _____</p> <p>DATE: _____</p>

Attach this inspection sheet with the corresponding material cert and remit to be scanned and received in



# MATERIAL RECEIPT INSPECTION FORM

MATERIAL: MDe/riv R1.2500

PO / BATCH NO.: 038659/5030562

DATE: JAN 09 2018

MATERIAL CERT REC'D: yes  
 QUANTITY RECEIVED: 16"  
 QUANTITY INSPECTED: 16"  
 QUANTITY REJECTED: 0

THICKNESS ORDERED: 1.2500  
 THICKNESS RECEIVED: 1.2500  
 SHEET SIZE ORDERED: N/A  
 SHEET SIZE RECEIVED: N/A

DESCRIPTION	NCR (Check Y/N)	COMMENTS
SURFACE DAMAGE	Y (N)	
CORRECT FINISH	(Y) N	
CORROSION	Y (N)	
CORRECT GRAIN DIRECTION	(Y) N	
CORRECT MATERIAL PER M-DRAWING	(Y) N	<u>Actron GP Black Rod</u>
CORRECT THICKNESS	(Y) N	
PHOTO REQUIRED	Y (N)	
CORRECT REF # TO LINK CERT	(Y) N	<u>0006523294</u>
CORRECT MATERIAL IDENTIFICATION	(Y) N	
CORRECT M# ON THE MATERIAL	(Y) N	
DOES THIS MATERIAL REQUIRE ENGINEERING SIGN OFF	Y (N)	
DOES THIS REQUIRE AN EXTRUSION REPORT	Y (N)	

CUT SAMPLE PIECE OF MATERIAL AND PREFORM A HARDNESS CHECK. RECORD RESULTS BELOW					
	HRC	HRB	DUR A	DUR D	WEBSTER
TYPE OF MATERIAL					
SIZE OF TEST SAMPLE					
HARDNESS / DUROMETER READING					

testers located in the Quality Office

QC 18 INSPECTION	ENGINEERING SIGNOFF (if required)
INSPECTED BY: <u>DAS 11</u> DATE: <u>9-89</u> DATE: <u>JAN 09 2018</u>	SIGNED OFF BY: _____ DATE: _____

Attach this inspection sheet with the corresponding material cert and remit to be scanned and received in